



## TL-D Colored

### TL-D Colored 58W Blue 1SL

This TL-D lamp (tube diameter 26 mm) helps to create special effects and atmospheres or attract attention by using red, green, blue and yellow light. Apart from using the specific colors, it is also possible to mix the colors to create white light. This lamp offers a high light output, thanks to the use of basic powders. Application areas include shops and showrooms, bars and restaurants, demonstration areas, sign lighting and entertainment stores.

**PHILIPS**

## Product data

## • General Characteristics

Cap-Base	G13 [Medium Bi-Pin Fluorescent]
Bulb	T8 [26 mm]
Life to 10% failures	12000 hr
EM	
Life to 50% failures	15000 hr
EM	

Dimmable

Yes

## • Environmental Characteristics

Energy Efficiency	C
Label (EEL)	
Mercury (Hg)	13.0 mg
Content	
Energy consumption kWh/1000h	71 kWh

## • Light Technical Characteristics

Color Code	180
Color Designation (text)	Blue
Luminous Flux EM 25°C, Rated	1600 Lm
Luminous Flux EM 25°C, Nominal	1600 Lm
LLMF EM 2000h Rated	95 %
Design Temperature	25 C
Chromaticity Coordinate X	157 -
Chromaticity Coordinate Y	70 -

## • Product Dimensions

Base Face to Base Face A	1500.0 (max) mm
Insertion Length B	1504.7 (min), 1507.1 (max) mm
Overall Length C	1514.2 (max) mm
Diameter D	28.0 (max) mm


## • Product Data

Order code	928049001805
Full product code	928049001805
Full product name	TL-D Colored 58W Blue 1SL
Order product name	TL-D Colored 58W Blue 1SL/25
Pieces per pack	1
Packing configuration	25
Packs per outerbox	25
Bar code on pack - EAN1	8711500954510
Bar code on outerbox - EAN3	8711500954527
Logistic code(s) - 12NC	928049001805
Net weight per piece	172.600 gr

## • Electrical Characteristics


Lamp Wattage	58 W
Lamp Wattage EM	58 W
25°C, Nominal	
Lamp Wattage EM 25°C, Rated	58.5 W
Lamp Voltage EM 25°C	111 V
Lamp Current EM 25°C	0.670 A

## Dimensional drawing





TL-D Colored 58W Blue 1SL

Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL-D 58W/180 Blue	1500.0	1504.7	1507.1	1514.2	28.0



G13

## Photometric data



© 2014 Koninklijke Philips N.V. (Royal Philips)  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of  
Koninklijke Philips N.V. (Royal Philips) or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2014, February 1  
data subject to change